

## COMMISSION REGULATION (EC) No 605/2006

of 19 April 2006

## amending Regulation (EC) No 349/2003 suspending the introduction into the Community of specimens of certain species of wild fauna and flora

THE COMMISSION OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Community,

Having regard to Council Regulation (EC) No 338/97 of 9 December 1996 on the protection of species of wild fauna and flora by regulating trade therein <sup>(1)</sup> and in particular Article 19(2) thereof,

After consulting the Scientific Review Group,

Whereas:

- (1) Article 4(6) of Regulation (EC) No 338/97 provides that the Commission may establish restrictions to the introduction of certain species into the Community in accordance with the conditions laid down in points (a) to (d) thereof. Furthermore, implementing measures for such restrictions have been laid down in Commission Regulation (EC) No 1808/2001 of 30 August 2001 laying down detailed rules concerning the implementation of Council Regulation (EC) No 338/97 of the protection of species of wild fauna and flora by regulating trade therein <sup>(2)</sup>.
- (2) A list of species for which the introduction into the Community is suspended was established in Commission Regulation (EC) No 349/2003 of 25 February 2003 suspending the introduction into the Community of specimens of certain species of wild fauna and flora <sup>(3)</sup>.
- (3) On the basis of recent information, the Scientific Review Group has concluded that the conservation status of certain species listed in Annexes A and B to Regulation (EC) No 338/97 will be seriously jeopardised if their introduction into the Community from certain countries of origin is not suspended. The introduction of the following species should therefore be suspended: *Ursus thibetanus* from the Russian Federation; *Cryptoprocta ferox*, *Scaphiophryne gottliebii*, *Euphorbia banae* and *E. kondoi* from Madagascar; *Panthera leo* from Ethiopia; *Balaeniceps rex*, *Grus carunculatus* and *Chamaeleo fuelleborni* from the

United Republic of Tanzania; *Poicephalus gularis* from Congo; *Accipiter melanoleucus*, *A. ovampensis*, *Aviceda cuculoides*, *Hieraaetus ayresii*, *H. spilogaster*, *Macheiramphus alcinus*, *Spizaetus africanus*, *Urotriorchis macrourus*, *Falco chicquera*, *Asio capensis*, *Bubo lacteus*, *B. poensis*, *Glaucidium perlatus*, *Scotopelia peli* and *Python regius* from Guinea; *Sagittarius serpentarius* and *Varanus exanthematicus* from Togo; *Agapornis pullarius* from the Democratic Republic of the Congo; *Cuora galbinifrons* from China; *Heosemys spinosa*, *Leucocephalon yuwonoi*, *Siebenrockiella crassicollis*, *Liasis fuscus*, *Euphyllia cristata*, *E. divisa*, *E. fimbriata*, *Hydnophora microconos* and *Scolymia vitiensis* from Indonesia; *Geochelone pardalis* from Uganda and Zambia; *Uromastyx geyri* from Mali and Niger; *Cordylus mossambicus*, *C. vittifer*, *Tridacna maxima* and *T. squamosa* from Mozambique; *Dendrobates pumilio* from Nicaragua; *Hippopus hippopus* from Vanuatu; *Hippopus hippopus*, *Tridacna gigas* and *T. maxima* from Tonga and Vietnam; *Tridacna crocea*, *T. derasa*, *T. maxima* and *T. squamosa* from Fiji and Vanuatu; *Tridacna crocea* from Tonga; *Tridacna maxima* from the Federated States of Micronesia and the Marshall Islands; *Tridacna tevoroo* from Tonga and *Catalaphyllia jardinei* from the Solomon Islands.

- (4) The Scientific Review Group has also concluded that, on the basis of the most recent available information, the suspension of the introduction into the Community of the following species should no longer be required: *Galago senegalensis* from Djibouti; *Galagoides demidoff* from Kenya and Senegal; *Callithrix argentata* from Paraguay; *Saguinus labiatus* from Colombia; *Callicebus torquatus* from Ecuador; *Cebus albifrons* from Guyana; *Cebus capucinus* and *Aratinga solstitialis* from Venezuela; *Cebus olivaceus* from Peru; *Allenopithecus nigroviridis* from all range States; *Colobus guereza* from Equatorial Guinea; *Lophocebus albigena* from Kenya; *Papio hamadryas* and *Hippopotamus amphibius* from Liberia; *Cynogale bennettii* from Singapore; *Ara ararauna* from Trinidad and Tobago; *Neophema splendida* from Australia; *Poicephalus gularis* from Democratic Republic of the Congo; *Geochelone chilensis*, *Homopus areolatus*, *H. boulengeri*, *H. femoralis*, *H. signatus*, *Kinixys natalensis* and *Psammobates* spp. from all range States; *Geochelone denticulata* from all range States except for Bolivia and Ecuador; *Geochelone elegans* from all range States except for Pakistan; *Kinixys belliana* from all range States except for Mozambique and Benin; *Kinixys erosa* from all range States except for Togo; *Kinixys homeana* from all range States except for Benin; *Manouria emys* from all range States except for Bangladesh, India, Indonesia, Myanmar and Thailand; *Testudo horsfieldii* from all range States except for China, Pakistan and Kazakhstan; *Manouria impressa* from all range States except for Vietnam; *Phelsuma cepedianae* and *P. trilineata* from Madagascar; *Phelsuma edwardnewtonii* from Mauritius; *Varanus albigularis* from Lesotho; *Varanus rudicollis* from the Philippines; *Ptyas mucosus* from Indonesia and *Dactylorhiza incarnata* from Norway.

<sup>(1)</sup> OJ L 61, 3.3.1997, p. 1. Regulation as last amended by Commission Regulation (EC) No 1332/2005 (OJ L 215, 19.8.2005, p. 1).

<sup>(2)</sup> OJ L 250, 19.9.2001, p. 1.

<sup>(3)</sup> OJ L 51, 26.2.2003, p. 3. Regulation as last amended by Regulation (EC) No 252/2005 (OJ L 43, 15.2.2005, p. 3).

- (5) Regulation (EC) No 338/97 as last amended by Regulation (EC) No 1332/2005 provides *inter alia* for the transfer of *Cacatua sulphurea* and *Pyxis arachnoides* from Annex B to Annex A and the deletion from the Annexes of *Agapornis roseicollis*, therefore, import suspensions in respect of those species should no longer be required.
- (6) The countries of origin of the species which are subject to new restrictions to introduction into the Community pursuant to this Regulation have all been consulted.
- (7) The Annex to Regulation (EC) No 349/2003 should therefore be amended accordingly and, for clarity purposes, replaced.
- (8) The measures provided for in this Regulation are in accordance with the opinion of the Committee on Trade in Wild Fauna and Flora,
- HAS ADOPTED THIS REGULATION:
- Article 1*
- The Annex to Regulation (EC) No 349/2003 is replaced by the Annex to this Regulation.
- Article 2*
- This Regulation shall enter into force on the 20th day following its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 19 April 2006.

*For the Commission*  
Stavros DIMAS  
*Member of the Commission*

---

## ANNEX

**Specimens of species included in Annex A to Regulation (EC) No 338/97 whose introduction into the Community is suspended**

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<b>FAUNA</b>				
<b>CHORDATA MAMMALIA</b>				
<b>CARNIVORA</b>				
<b>Canidae</b>				
<i>Canis lupus</i>	Wild	Hunting trophies	Belarus, Kyrgyzstan, Turkey	a
<b>Ursidae</b>				
<i>Ursus arctos</i>	Wild	Hunting trophies	British Columbia	a
<i>Ursus thibetanus</i>	Wild	Hunting trophies	Russian Federation	a
<b>Felidae</b>				
<i>Lynx lynx</i>	Wild	Hunting trophies	Azerbaijan, Moldova, Ukraine	a
<b>ARTIODACTYLA</b>				
<b>Bovidae</b>				
<i>Ovis ammon nigrimontana</i>	Wild	Hunting trophies	Kazakhstan	a
<b>AVES</b>				
<b>FALCONIFORMES</b>				
<b>Accipitridae</b>				
<i>Leucopternis occidentalis</i>	Wild	All	Ecuador, Peru	a

**Specimens of species included in Annex B to Regulation (EC) No 338/97 whose introduction into the Community is suspended**

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<b>FAUNA</b>				
<b>CHORDATA MAMMALIA</b>				
<b>MONOTREMATA</b>				
<b>Tachyglossidae</b>				
<i>Zaglossus bruijni</i>	Wild	All	All	b
<b>PRIMATES</b>				
<b>Loridae</b>				
<i>Arctocebus aureus</i>	Wild	All	Central African Republic, Gabon	b
<i>Arctocebus calabarensis</i>	Wild	All	Nigeria	b
<i>Nycticebus pygmaeus</i>	Wild	All	Cambodia, Laos	b
<i>Perodicticus potto</i>	Wild	All	Togo	b
<b>Galagonidae</b>				
<i>Eutoticus pallidus</i> (synonym <i>Galago elegantulus pallidus</i> )	Wild	All	Nigeria	b
<i>Galago matschiei</i> (synonym <i>G. inustus</i> )	Wild	All	Rwanda	b

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<i>Galagoides demidoff</i> (synonym <i>Galago demidovii</i> )	Wild	All	Burkina Faso, Central African Republic	b
<i>Galagoides zanzibaricus</i> (synonym <i>Galago zanzibaricus</i> )	Wild	All	Malawi	b
<b>Callitrichidae</b>				
<i>Callithrix geoffroyi</i> (synonym <i>C. jacchus geoffroyi</i> )	Wild	All	Brazil	b
<b>Cebidae</b>				
<i>Alouatta fusca</i>	Wild	All	All	b
<i>Alouatta seniculus</i>	Wild	All	Trinidad and Tobago	b
<i>Ateles belzebuth</i>	Wild	All	All	b
<i>Ateles fusciceps</i>	Wild	All	All	b
<i>Ateles geoffroyi</i>	Wild	All	All	b
<i>Ateles paniscus</i>	Wild	All	Peru	b
<i>Cebus capucinus</i>	Wild	All	Belize	b
<i>Chiropotes satanas</i>	Wild	All	Brazil, Guyana	b
<i>Lagothrix lagotricha</i>	Wild	All	All	b
<i>Pithecia pithecia</i>	Wild	All	Guyana	b
<b>Cercopithecidae</b>				
<i>Cercocebus torquatus</i>	Wild	All	Ghana	b
<i>Cercopithecus ascanius</i>	Wild	All	Burundi	b
<i>Cercopithecus cephus</i>	Wild	All	Central African Republic	b
<i>Cercopithecus dryas</i> (including <i>C. salongo</i> )	Wild	All	Democratic Republic of the Congo	b
<i>Cercopithecus erythrogaster</i>	Wild	All	All	b
<i>Cercopithecus erythrotis</i>	Wild	All	All	b
<i>Cercopithecus hamlyni</i>	Wild	All	All	b
<i>Cercopithecus mona</i>	Wild	All	Togo	b
<i>Cercopithecus petaurista</i>	Wild	All	Togo	b
<i>Cercopithecus pogonias</i>	Wild	All	Cameroon, Equatorial Guinea, Nigeria	b
<i>Cercopithecus preussi</i> (synonym <i>C. lhoesti preussi</i> )	Wild	All	Cameroon, Equatorial Guinea, Nigeria	b
<i>Colobus polykomos</i>	Wild	All	Côte d'Ivoire, Ghana, Nigeria, Togo	b
<i>Lophocebus albigena</i> (synonym <i>Cercocebus albigena</i> )	Wild	All	Nigeria	b
<i>Macaca arctoides</i>	Wild	All	India, Malaysia, Thailand	b
<i>Macaca assamensis</i>	Wild	All	Nepal	b

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<i>Macaca cyclopis</i>	Wild	All	All	b
<i>Macaca fascicularis</i>	Wild	All	Bangladesh, India	b
<i>Macaca maura</i>	Wild	All	Indonesia	b
<i>Macaca nemestrina</i>	Wild	All	China	b
<i>Macaca nemestrina pagensis</i>	Wild	All	Indonesia	b
<i>Macaca nigra</i>	Wild	All	Indonesia	b
<i>Macaca ochreata</i>	Wild	All	Indonesia	b
<i>Macaca sylvanus</i>	Wild	All	Algeria, Morocco	b
<i>Papio hamadryas</i>	Wild	All	Guinea-Bissau, Liberia, Libya	b
<i>Procolobus badius</i> (synonym <i>Colobus badius</i> )	Wild	All	All	b
<i>Procolobus verus</i> (synonym <i>Colobus verus</i> )	Wild	All	Benin, Côte d'Ivoire, Ghana, Sierra Leone, Togo	b
<i>Trachypithecus phayrei</i> (synonym <i>Presbytis phayrei</i> )	Wild	All	Cambodia, China, India	b
<i>Trachypithecus vetulus</i> (synonym <i>Presbytis senex</i> )	Wild	All	Sri Lanka	b
XENARTHRA				
<b>Myrmecophagidae</b>				
<i>Myrmecophaga tridactyla</i>	Wild	All	Belize, Uruguay	b
RODENTIA				
<b>Sciuridae</b>				
<i>Ratufa affinis</i>	Wild	All	Singapore	b
<i>Ratufa bicolor</i>	Wild	All	China	b
CARNIVORA				
<b>Canidae</b>				
<i>Chrysocyon brachyurus</i>	Wild	All	Bolivia, Peru	b
<b>Mustelidae</b>				
<i>Lutra maculicollis</i>	Wild	All	United Republic of Tanzania	b
<b>Viverridae</b>				
<i>Cryptoprocta ferox</i>	Wild	All	Madagascar	b
<i>Cynogale bennettii</i>	Wild	All	Brunei, China, Indonesia, Malaysia, Thailand	b
<i>Eupleres goudotii</i>	Wild	All	Madagascar	b
<i>Fossa fossana</i>	Wild	All	Madagascar	b
<b>Felidae</b>				
<i>Leptailurus serval</i>	Wild	All	Algeria	b
<i>Oncifelis colocolo</i>	Wild	All	Chile	b
<i>Panthera leo</i>	Wild	All	Ethiopia	b
<i>Prionailurus bengalensis</i>	Wild	All	Macao	b
<i>Profelis aurata</i>	Wild	All	Togo	b

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<b>PERISSODACTYLA</b>				
<b>Equidae</b>				
<i>Equus zebra hartmannae</i>	Wild	All	Angola	b
<b>ARTIODACTYLA</b>				
<b>Hippopotamidae</b>				
<i>Hexaprotodon liberiensis</i> (synonym <i>Choeropsis liberiensis</i> )	Wild	All	Côte d'Ivoire, Guinea, Guinea-Bissau, Nigeria, Sierra Leone	b
<i>Hippopotamus amphibius</i>	Wild	All	Democratic Republic of the Congo, Gambia, Malawi, Niger, Nigeria, Rwanda, Sierra Leone, Togo	b
<b>Camelidae</b>				
<i>Lama guanicoe</i>	Wild	All, except: — specimens that form part of the registered stock in Argentina, provided that permits are confirmed by the Secretariat before being accepted by the Member State of import, — products obtained from the shearing of live animals carried out under the approved management programme, appropriately marked and registered, — non-commercial exports of limited quantities of wool for industrial testing, up to 500 kg annually.	Argentina	b
<b>Moschidae</b>				
<i>Moschus berezovskii</i>	Wild	All	China	b
<i>Moschus chrysogaster</i>	Wild	All	China	b
<i>Moschus fuscus</i>	Wild	All	China	b
<i>Moschus moschiferus</i>	Wild	All	China, Russia	b
<b>Cervidae</b>				
<i>Cervus elaphus bactrianus</i>	Wild	All	Uzbekistan	b
<b>Bovidae</b>				
<i>Saiga tatarica</i>	Wild	All	Kazakhstan, Russia	b
<b>AVES</b>				
<b>CICONIIFORMES</b>				
<b>Balaenicipitidae</b>				
<i>Balaeniceps rex</i>	Wild	All	United Republic of Tanzania, Zambia	b
<b>ANSERIFORMES</b>				
<b>Anatidae</b>				
<i>Anas bernieri</i>	Wild	All	Madagascar	b

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<i>Oxyura jamaicensis</i>	All	Live	All	d
<b>FALCONIFORMES</b>				
<b>Accipitridae</b>				
<i>Accipiter brachyurus</i>	Wild	All	Papua New Guinea	b
<i>Accipiter gundlachi</i>	Wild	All	Cuba	b
<i>Accipiter imitator</i>	Wild	All	Papua New Guinea, Solomon Islands	b
<i>Accipiter melanoleucus</i>	Wild	All	Guinea	b
<i>Accipiter ovampensis</i>	Wild	All	Guinea	b
<i>Aviceda cuculoides</i>	Wild	All	Guinea	b
<i>Buteo albonotatus</i>	Wild	All	Peru	b
<i>Buteo galapagoensis</i>	Wild	All	Ecuador	b
<i>Buteo platypterus</i>	Wild	All	Peru	b
<i>Buteo ridgwayi</i>	Wild	All	Dominican Republic, Haiti	b
<i>Erythrorhynchus radiatus</i>	Wild	All	Australia	b
<i>Gyps bengalensis</i>	Wild	All	All	b
<i>Gyps coprotheres</i>	Wild	All	Mozambique, Namibia, Swaziland	b
<i>Gyps indicus</i>	Wild	All	All	b
<i>Gyps rueppellii</i>	Wild	All	Guinea	b
<i>Harpyopsis novaeguineae</i>	Wild	All	Indonesia, Papua New Guinea	b
<i>Hieraaetus ayresii</i>	Wild	All	Guinea	b
<i>Hieraaetus spilogaster</i>	Wild	All	Guinea	b
<i>Leucopternis lacernulata</i>	Wild	All	Brazil	b
<i>Lophoictinia isura</i>	Wild	All	Australia	b
<i>Macheiramphus alcinus</i>	Wild	All	Guinea	b
<i>Polemaetus bellicosus</i>	Wild	All	Guinea	b
<i>Spizaetus africanus</i>	Wild	All	Guinea	b
<i>Spizaetus bartelsi</i>	Wild	All	Indonesia	b
<i>Stephanoaetus coronatus</i>	Wild	All	Guinea	b
<i>Terathopius ecaudatus</i>	Wild	All	Guinea	b
<i>Trigonoceps occipitalis</i>	Wild	All	Côte d'Ivoire, Guinea	b
<i>Urotriorchis macrourus</i>	Wild	All	Guinea	b
<b>Falconidae</b>				
<i>Falco chicquera</i>	Wild	All	Guinea	b

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<i>Falco deiroleucus</i>	Wild	All	Belize, Guatemala	b
<i>Falco fasciinucha</i>	Wild	All	Botswana, Ethiopia, Kenya, Malawi, Mozambique, South Africa, Sudan, United Republic of Tanzania, Zambia, Zimbabwe	b
<i>Falco hypoleucos</i>	Wild	All	Australia, Papua New Guinea	b
<i>Micrastur plumbeus</i>	Wild	All	Colombia, Ecuador	b
<b>Sagittariidae</b>				
<i>Sagittarius serpentarius</i>	Wild	All	Guinea, Togo	b
GALLIFORMES				
<b>Phasianidae</b>				
<i>Polyplectron schleiermacheri</i>	Wild	All	Indonesia, Malaysia	b
GRUIFORMES				
<b>Gruidae</b>				
<i>Balearica pavonina</i>	Wild	All	Guinea, Mali	b
<i>Balearica regulorum</i>	Wild	All	Angola, Botswana, Burundi, Democratic Republic of the Congo, Kenya, Lesotho, Malawi, Mozambique, Namibia, Rwanda, South Africa, Swaziland, Uganda, Zambia, Zimbabwe	b
<i>Grus carunculatus</i>	Wild	All	South Africa, United Republic of Tanzania	b
<i>Grus virgo</i>	Wild	All	Sudan	b
COLUMBIFORMES				
<b>Columbidae</b>				
<i>Goura cristata</i>	Wild	All	Indonesia	b
<i>Goura scheepmakeri</i>	Wild	All	Indonesia	b
<i>Goura victoria</i>	Wild	All	Indonesia	b
PSITTACIFORMES				
<b>Psittacidae</b>				
<i>Agapornis fischeri</i>	Wild	All	United Republic of Tanzania	b
	Ranched	All	Mozambique	b
<i>Agapornis lilianae</i>	Wild	All	United Republic of Tanzania	b
<i>Agapornis nigrigenis</i>	Wild	All	All	b
<i>Agapornis pullarius</i>	Wild	All	Angola, Democratic Republic of the Congo, Guinea, Kenya, Mali, Togo	b
<i>Alistenus chloropterus chloropterus</i>	Wild	All	Indonesia	b
<i>Amazona agilis</i>	Wild	All	Jamaica	b
<i>Amazona autumnalis</i>	Wild	All	Ecuador	b
<i>Amazona collaria</i>	Wild	All	Jamaica	b
<i>Amazona mercenaria</i>	Wild	All	Venezuela	b
<i>Amazona xanthops</i>	Wild	All	Bolivia, Paraguay	b
<i>Ara chloroptera</i>	Wild	All	Argentina, Panama	b
<i>Ara severa</i>	Wild	All	Guyana	b



Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<i>Aratinga acuticaudata</i>	Wild	All	Uruguay	b
<i>Aratinga aurea</i>	Wild	All	Argentina	b
<i>Aratinga auricapilla</i>	Wild	All	All	b
<i>Aratinga erythrogenys</i>	Wild	All	Peru	b
<i>Aratinga euops</i>	Wild	All	Cuba	b
<i>Bolborhynchus ferrugineifrons</i>	Wild	All	Colombia	b
<i>Cacatua sanguinea</i>	Wild	All	Indonesia	b
<i>Charmosyna amabilis</i>	Wild	All	Fiji	b
<i>Charmosyna diadema</i>	Wild	All	All	b
<i>Cyanoliseus patagonus</i>	Wild	All	Chile, Uruguay	b
<i>Deroptyus accipitrinus</i>	Wild	All	Peru, Surinam	b
<i>Eclectus roratus</i>	Wild	All	Indonesia	b
<i>Forpus xanthops</i>	Wild	All	Peru	b
<i>Hapalopsittaca amazonina</i>	Wild	All	All	b
<i>Hapalopsittaca fuertesi</i>	Wild	All	Colombia	b
<i>Hapalopsittaca pyrrhops</i>	Wild	All	All	b
<i>Leptosittaca branickii</i>	Wild	All	All	b
<i>Lorius domicella</i>	Wild	All	Indonesia	b
<i>Nannopsittaca panychlora</i>	Wild	All	Brazil	b
<i>Pionus chalcopterus</i>	Wild	All	Peru	b
<i>Poicephalus cryptoxanthus</i>	Wild	All	United Republic of Tanzania	b
<i>Poicephalus gularis</i>	Wild	All	Côte d'Ivoire, Congo	b
<i>Poicephalus meyeri</i>	Wild	All	United Republic of Tanzania	b
<i>Poicephalus robustus</i>	Wild	All	Botswana, Democratic Republic of the Congo, Gambia, Guinea, Mali, Namibia, Nigeria, Senegal, South Africa, Swaziland, Togo, Uganda	b
<i>Poicephalus rufiventris</i>	Wild	All	United Republic of Tanzania	b
<i>Polytelis alexandrae</i>	Wild	All	Australia	b
<i>Prioniturus luconensis</i>	Wild	All	Philippines	b
<i>Psittacula alexandri</i>	Wild	All	Indonesia	b
<i>Psittacula finschii</i>	Wild	All	Bangladesh, Cambodia	b
<i>Psittacula roseata</i>	Wild	All	China	b
<i>Psittacus erithacus</i>	Wild	All	Benin, Burundi, Liberia, Mali, Nigeria, Togo	b
<i>Psittacus erithacus timneh</i>	Wild	All	Guinea, Guinea-Bissau	b
<i>Psittichas fulgidus</i>	Wild	All	All	b
<i>Pyrrhura albipectus</i>	Wild	All	Ecuador	b
<i>Pyrrhura calliptera</i>	Wild	All	Colombia	b
<i>Pyrrhura leucotis</i>	Wild	All	Brazil	b

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<i>Pyrrhura orcesi</i>	Wild	All	Ecuador	b
<i>Pyrrhura picta</i>	Wild	All	Colombia	b
<i>Pyrrhura viridicata</i>	Wild	All	Colombia	b
<i>Tanygnathus gramineus</i>	Wild	All	Indonesia	b
<i>Touit melanonota</i>	Wild	All	Brazil	b
<i>Touit surda</i>	Wild	All	Brazil	b
<i>Trichoglossus johnstoniae</i>	Wild	All	Philippines	b
<i>Triclaria malachitacea</i>	Wild	All	Argentina, Brazil	b
<b>CUCULIFORMES</b>				
<b>Musophagidae</b>				
<i>Musophaga porphyreolopha</i>	Wild	All	Uganda	b
<i>Tauraco corythaix</i>	Wild	All	Mozambique	b
<i>Tauraco fischeri</i>	Wild	All	United Republic of Tanzania	b
<i>Tauraco macrorhynchus</i>	Wild	All	Guinea	b
<b>STRIGIFORMES</b>				
<b>Tytonidae</b>				
<i>Phodilus prigoginei</i>	Wild	All	Democratic Republic of the Congo	b
<i>Tyto aurantia</i>	Wild	All	Papua New Guinea	b
<i>Tyto inexpectata</i>	Wild	All	Indonesia	b
<i>Tyto manusi</i>	Wild	All	Papua New Guinea	b
<i>Tyto nigrobrunnea</i>	Wild	All	Indonesia	b
<i>Tyto sororcula</i>	Wild	All	Indonesia	b
<b>Strigidae</b>				
<i>Asio capensis</i>	Wild	All	Guinea	b
<i>Asio clamator</i>	Wild	All	Peru	b
<i>Bubo lacteus</i>	Wild	All	Guinea	b
<i>Bubo philippensis</i>	Wild	All	Philippines	b
<i>Bubo poensis</i>	Wild	All	Guinea	b
<i>Bubo vosseleri</i>	Wild	All	United Republic of Tanzania	b
<i>Glaucidium albertinum</i>	Wild	All	Democratic Republic of the Congo, Rwanda	b
<i>Glaucidium perlatum</i>	Wild	All	Guinea	b
<i>Ketupa blakistoni</i>	Wild	All	China, Japan, Russia	b
<i>Ketupa ketupu</i>	Wild	All	Singapore	b
<i>Nesasio solomonensis</i>	Wild	All	Papua New Guinea, Solomon Islands	b
<i>Ninox affinis</i>	Wild	All	India	b
<i>Ninox rudolfi</i>	Wild	All	Indonesia	b
<i>Otus angelinae</i>	Wild	All	Indonesia	b
<i>Otus fuliginosus</i>	Wild	All	Philippines	b

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<i>Otus longicornis</i>	Wild	All	Philippines	b
<i>Otus magicus</i>	Wild	All	Seychelles	b
<i>Otus mindorensis</i>	Wild	All	Philippines	b
<i>Otus mirus</i>	Wild	All	Philippines	b
<i>Otus pauliani</i>	Wild	All	Comoros	b
<i>Otus roboratus</i>	Wild	All	Peru	b
<i>Otus rutilus</i>	Wild	All	Comoros	b
<i>Pulsatrix melanota</i>	Wild	All	Peru	b
<i>Scotopelia peli</i>	Wild	All	Guinea	b
<i>Scotopelia ussheri</i>	Wild	All	Côte d'Ivoire, Ghana, Guinea, Liberia, Sierra Leone	b
<i>Strix davidi</i>	Wild	All	China	b
<i>Strix woodfordii</i>	Wild	All	Guinea	b
<b>APODIFORMES</b>				
<b>Trochilidae</b>				
<i>Chalcostigma olivaceum</i>	Wild	All	Peru	b
<i>Heliodoxa rubinoides</i>	Wild	All	Peru	b
<b>CORACIIFORMES</b>				
<b>Bucerotidae</b>				
<i>Buceros rhinoceros</i>	Wild	All	Thailand	b
<b>PASSERIFORMES</b>				
<b>Pittidae</b>				
<i>Pitta nympha</i>	Wild	All	All (except Vietnam)	b
<b>Pycnonotidae</b>				
<i>Pycnonotus zeylanicus</i>	Wild	All	Malaysia	b
<b>REPTILIA</b>				
<b>TESTUDINES</b>				
<b>Emydidae</b>				
<i>Callagur borneoensis</i>	Wild	All	All	b
<i>Chrysemys picta</i>	All	Live	All	d
<i>Cuora amboinensis</i>	Wild	All	Malaysia	b
<i>Cuora galbinifrons</i>	Wild	All	China	b
<i>Heosemys spinosa</i>	Wild	All	Indonesia	b
<i>Leucocephalon yuwonoi</i>	Wild	All	Indonesia	b
<i>Siebenrockiella crassicollis</i>	Wild	All	Indonesia	b
<i>Trachemys scripta elegans</i>	All	Live	All	d

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<b>Testudinidae</b>				
<i>Geochelone denticulata</i>	Wild	All	Bolivia, Ecuador	b
<i>Geochelone elegans</i>	Wild	All	Pakistan	b
<i>Geochelone gigantea</i>	Wild	All	Seychelles	b
<i>Geochelone pardalis</i>	Wild	All	Democratic Republic of the Congo, Mozambique, Uganda, United Republic of Tanzania	b
	Ranched	All	Mozambique, Zambia	b
	Source 'F' (1)	All	Zambia	b
<i>Geochelone platynota</i>	Wild	All	Myanmar	b
<i>Gopherus agassizii</i>	Wild	All	All	b
<i>Gopherus berlandieri</i>	Wild	All	All	b
<i>Gopherus polyphemus</i>	Wild	All	United States of America	b
<i>Indotestudo elongata</i>	Wild	All	Bangladesh, China, India	b
<i>Indotestudo forstenii</i>	Wild	All	All	b
<i>Kinixys belliana</i>	Wild	All	Mozambique	b
	Ranched	All	Benin	b
<i>Kinixys erosa</i>	Wild	All	Togo	b
<i>Kinixys homeana</i>	Wild	All	Benin	b
<i>Manouria emys</i>	Wild	All	Bangladesh, India, Indonesia, Myanmar, Thailand	b
<i>Manouria impressa</i>	Wild	All	Vietnam	b
<i>Testudo horsfieldii</i>	Wild	All	China, Kazakhstan, Pakistan	b
<b>Pelomedusidae</b>				
<i>Erymnochelys madagascariensis</i>	Wild	All	Madagascar	b
<i>Podocnemis erythrocephala</i>	Wild	All	Colombia, Venezuela	b
<i>Podocnemis expansa</i>	Wild	All	Colombia, Ecuador, Guyana, Peru, Trinidad and Tobago, Venezuela	b
<i>Podocnemis lewyana</i>	Wild	All	All	b
<i>Podocnemis sextuberculata</i>	Wild	All	Peru	b
<i>Podocnemis unifilis</i>	Wild	All	Suriname	b
<b>CROCODYLIA</b>				
<b>Alligatoridae</b>				
<i>Caiman crocodilus</i>	Wild	All	El Salvador, Guatemala, Mexico	b
<i>Palaeosuchus trigonatus</i>	Wild	All	Guyana	b
<b>Crocodylidae</b>				
<i>Crocodylus niloticus</i>	Wild	All	Madagascar	b

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
SAURIA				
<b>Gekkonidae</b>				
<i>Phelsuma abbotti</i>	Wild	All	Madagascar	b
<i>Phelsuma antanosy</i>	Wild	All	Madagascar	b
<i>Phelsuma barbouri</i>	Wild	All	Madagascar	b
<i>Phelsuma befotakensis</i>	Wild	All	Madagascar	b
<i>Phelsuma breviceps</i>	Wild	All	Madagascar	b
<i>Phelsuma chekei</i>	Wild	All	Madagascar	b
<i>Phelsuma comorensis</i>	Wild	All	Comoros	b
<i>Phelsuma dubia</i>	Wild	All	Comoros, Madagascar	b
<i>Phelsuma flavigularis</i>	Wild	All	Madagascar	b
<i>Phelsuma guttata</i>	Wild	All	Madagascar	b
<i>Phelsuma klemmeri</i>	Wild	All	Madagascar	b
<i>Phelsuma laticauda</i>	Wild	All	Comoros	b
<i>Phelsuma leiogaster</i>	Wild	All	Madagascar	b
<i>Phelsuma minuthi</i>	Wild	All	Madagascar	b
<i>Phelsuma modesta</i>	Wild	All	Madagascar	b
<i>Phelsuma mutabilis</i>	Wild	All	Madagascar	b
<i>Phelsuma pronki</i>	Wild	All	Madagascar	b
<i>Phelsuma pusilla</i>	Wild	All	Madagascar	b
<i>Phelsuma seippi</i>	Wild	All	Madagascar	b
<i>Phelsuma serraticauda</i>	Wild	All	Madagascar	b
<i>Phelsuma standingi</i>	Wild	All	Madagascar	b
<i>Phelsuma v-nigra</i>	Wild	All	Comoros	b
<b>Agamidae</b>				
<i>Uromastix aegyptia</i>	Source 'F' <sup>(1)</sup>	All	Egypt	b
<i>Uromastix dispar</i>	Wild	All	Algeria, Mali, Sudan	b
<i>Uromastix geyri</i>	Wild	All	Mali, Niger	b
<b>Chamaeleonidae</b>				
<i>Calumma boettgeri</i>	Wild	All	Madagascar	b
<i>Calumma brevicornis</i>	Wild	All	Madagascar	b
<i>Calumma capuroni</i>	Wild	All	Madagascar	b
<i>Calumma cucullata</i>	Wild	All	Madagascar	b
<i>Calumma fallax</i>	Wild	All	Madagascar	b
<i>Calumma furcifer</i>	Wild	All	Madagascar	b

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<i>Calumma gallus</i>	Wild	All	Madagascar	b
<i>Calumma gastrotaenia</i>	Wild	All	Madagascar	b
<i>Calumma globifer</i>	Wild	All	Madagascar	b
<i>Calumma guibei</i>	Wild	All	Madagascar	b
<i>Calumma hilleniusi</i>	Wild	All	Madagascar	b
<i>Calumma linota</i>	Wild	All	Madagascar	b
<i>Calumma malthe</i>	Wild	All	Madagascar	b
<i>Calumma nasuta</i>	Wild	All	Madagascar	b
<i>Calumma oshaughnessyi</i>	Wild	All	Madagascar	b
<i>Calumma parsonii</i>	Wild	All	Madagascar	b
<i>Calumma peyrierasi</i>	Wild	All	Madagascar	b
<i>Calumma tsaratananensis</i>	Wild	All	Madagascar	b
<i>Chamaeleo deremensis</i>	Wild	All	United Republic of Tanzania	b
<i>Chamaeleo eisentrauti</i>	Wild	All	Cameroon	b
<i>Chamaeleo ellioti</i>	Wild	All	Burundi	b
<i>Chamaeleo feae</i>	Wild	All	Equatorial Guinea	b
<i>Chamaeleo fuelleborni</i>	Wild	All	United Republic of Tanzania	b
<i>Chamaeleo gracilis</i>	Wild	All	Benin	b
	Ranched	All	Benin, Togo	b
<i>Chamaeleo pfefferi</i>	Wild	All	Cameroon	b
<i>Chamaeleo werneri</i>	Wild	All	United Republic of Tanzania	b
<i>Chamaeleo wiedersheimi</i>	Wild	All	Cameroon	b
<i>Furcifer angeli</i>	Wild	All	Madagascar	b
<i>Furcifer antimena</i>	Wild	All	Madagascar	b
<i>Furcifer balteatus</i>	Wild	All	Madagascar	b
<i>Furcifer belalandaensis</i>	Wild	All	Madagascar	b
<i>Furcifer bifidus</i>	Wild	All	Madagascar	b
<i>Furcifer campani</i>	Wild	All	Madagascar	b
<i>Furcifer labordi</i>	Wild	All	Madagascar	b
<i>Furcifer minor</i>	Wild	All	Madagascar	b
<i>Furcifer monoceras</i>	Wild	All	Madagascar	b
<i>Furcifer pardalis</i>	Ranched	All	Madagascar	b
<i>Furcifer petterii</i>	Wild	All	Madagascar	b
<i>Furcifer rhinocerotus</i>	Wild	All	Madagascar	b

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<i>Furcifer tuzetae</i>	Wild	All	Madagascar	b
<i>Furcifer willsii</i>	Wild	All	Madagascar	b
<b>Iguanidae</b>				
<i>Conolophus pallidus</i>	Wild	All	Ecuador	b
<i>Conolophus subcristatus</i>	Wild	All	Ecuador	b
<i>Iguana iguana</i>	Wild	All	El Salvador	b
<b>Cordylidae</b>				
<i>Cordylus mossambicus</i>	Wild	All	Mozambique	b
<i>Cordylus tropidosternum</i>	Wild	All	Mozambique	b
<i>Cordylus vittifer</i>	Wild	All	Mozambique	b
<b>Scincidae</b>				
<i>Corucia zebrata</i>	Wild	All	Solomon Islands	b
<b>Helodermatidae</b>				
<i>Heloderma horridum</i>	Wild	All	Guatemala, Mexico	b
<i>Heloderma suspectum</i>	Wild	All	Mexico, United States of America	b
<b>Varanidae</b>				
<i>Varanus bogerti</i>	Wild	All	Papua New Guinea	b
<i>Varanus dumerilii</i>	Wild	All	Indonesia	b
<i>Varanus exanthematicus</i>	Wild	All	Benin, Togo	b
	Ranched	All	Benin, Togo	b
<i>Varanus jobiensis</i> (synonym <i>V. karlschmidti</i> )	Wild	All	Indonesia	b
<i>Varanus niloticus</i>	Wild	All	Burundi, Mozambique	b
	Ranched	All	Benin, Togo	b
<i>Varanus prasinus beccarii</i>	Wild	All	Indonesia	b
<i>Varanus salvadorii</i>	Wild	All	Indonesia	b
<i>Varanus salvator</i>	Wild	All	China, India, Singapore	b
<i>Varanus telenesetes</i>	Wild	All	Papua New Guinea	b
<i>Varanus teriae</i>	Wild	All	Australia	b
<i>Varanus yemenensis</i>	Wild	All	All	b
SERPENTES				
<b>Pythonidae</b>				
<i>Liasis fuscus</i>	Wild	All	Indonesia	b
<i>Morelia boeleni</i>	Wild	All	Indonesia	b
<i>Python molurus</i>	Wild	All	China	b
<i>Python regius</i>	Wild	All	Guinea	b
<i>Python reticulatus</i>	Wild	All	India, Malaysia (Peninsular), Singapore	b
<i>Python sebae</i>	Wild	All	Mauritania, Mozambique	b
	Ranched	All	Mozambique	b
<b>Boidae</b>				
<i>Boa constrictor</i>	Wild	All	El Salvador, Honduras	b

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<i>Calabaria reinhardtii</i>	Ranched	All	Benin, Togo	b
<i>Eunectes deschauenseei</i>	Wild	All	Brazil	b
<i>Eunectes murinus</i>	Wild	All	Paraguay	b
<i>Gongylophis colubrinus</i>	Wild	All	United Republic of Tanzania	b
<b>Elapidae</b>				
<i>Naja atra</i>	Wild	All	Lao People's Democratic Republic	b
<i>Naja kaouthia</i>	Wild	All	Lao People's Democratic Republic	b
<i>Naja siamensis</i>	Wild	All	Lao People's Democratic Republic	b
<b>AMPHIBIA</b>				
ANURA				
<b>Dendrobatidae</b>				
<i>Dendrobates auratus</i>	Wild	All	Nicaragua	b
<i>Dendrobates pumilio</i>	Wild	All	Nicaragua	b
	Ranched	All	Nicaragua	b
<i>Dendrobates tinctorius</i>	Wild	All	Surinam	b
<b>Mantellidae</b>				
<i>Mantella aurantiaca</i>	Wild	All	Madagascar	b
<i>Mantella baroni</i> (synonym <i>Phrynomantis maculatus</i> )	Wild	All	Madagascar	b
<i>Mantella</i> aff. <i>baroni</i>	Wild	All	Madagascar	b
<i>Mantella bernhardi</i>	Wild	All	Madagascar	b
<i>Mantella cowani</i>	Wild	All	Madagascar	b
<i>Mantella crocea</i>	Wild	All	Madagascar	b
<i>Mantella expectata</i>	Wild	All	Madagascar	b
<i>Mantella haraldmeieri</i> (synonym <i>M. madagascariensis haraldmeieri</i> )	Wild	All	Madagascar	b
<i>Mantella laevigata</i>	Wild	All	Madagascar	b
<i>Mantella madagascariensis</i>	Wild	All	Madagascar	b
<i>Mantella manery</i>	Wild	All	Madagascar	b
<i>Mantella milotympanum</i> (synonym <i>M. aurantiaca milotympanum</i> )	Wild	All	Madagascar	b
<i>Mantella nigricans</i> (synonym <i>M. cowani nigricans</i> )	Wild	All	Madagascar	b
<i>Mantella pulchra</i>	Wild	All	Madagascar	b
<i>Mantella viridis</i>	Wild	All	Madagascar	b
<b>Microhylidae</b>				
<i>Scaphiophryne gottlebei</i>	Wild	All	Madagascar	b



Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<b>Ranidae</b>				
<i>Conraua goliath</i>	Wild	All	Cameroon	b
<i>Rana catesbeiana</i>	All	Live	All	d
<b>ARTHROPODA</b>				
ARACHNIDA				
ARANEAE				
<b>Theraphosidae</b>				
<i>Brachypelma albopilosum</i>	Wild	All	Nicaragua	b
INSECTA				
LEPIDOPTERA				
<b>Papilionidae</b>				
<i>Ornithoptera croesus</i>	Wild	All	Indonesia	b
<i>Ornithoptera tithonus</i>	Wild	All	Indonesia	b
<i>Ornithoptera urvillianus</i>	Wild	All	Solomon Islands	b
<i>Ornithoptera victorae</i>	Wild	All	Solomon Islands	b
<i>Troides andromache</i>	Wild	All	Indonesia	b
	Ranched	All	Indonesia	b
<b>MOLLUSCA</b>				
BIVALVIA				
VENEROIDA				
<b>Tridacnidae</b>				
<i>Hippopus hippopus</i>	Wild	All	New Caledonia, Tonga, Vanuatu, Vietnam	b
<i>Tridacna crocea</i>	Wild	All	Fiji, Tonga, Vanuatu, Vietnam	b
<i>Tridacna derasa</i>	Wild	All	Fiji, New Caledonia, Philippines, Palau, Tonga, Vanuatu	b
<i>Tridacna gigas</i>	Wild	All	Fiji, Indonesia, Marshall Islands, Federated States of Micronesia, Palau, Papua New Guinea, Tonga, Vanuatu, Vietnam	b
<i>Tridacna maxima</i>	Wild	All	Federated States of Micronesia, Fiji, Marshall Islands, Mozambique, New Caledonia, Tonga, Vanuatu, Vietnam	b
<i>Tridacna squamosa</i>	Wild	All	Fiji, Mozambique, New Caledonia, Tonga, Vanuatu, Vietnam	b
<i>Tridacna tevoroa</i>	Wild	All	Tonga	b
MESOGASTROPODA				
<b>Strombidae</b>				
<i>Strombus gigas</i>	Wild	All	Antigua and Barbuda, Barbados, Dominica, Haiti, Trinidad and Tobago	b
<b>CNIDARIA</b>				
SCLERACTINIA				
<b>Acroporidae</b>				
<i>Montipora caliculata</i>	Wild	All	Tonga	b

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<b>Caryophylliidae</b>				
<i>Catalaphyllia jardinei</i>	Wild	All except maricultured specimens attached to artificial substrates	Indonesia	b
<i>Catalaphyllia jardinei</i>	Wild	All	Solomon Islands	b
<i>Euphyllia cristata</i>	Wild	All except maricultured specimens attached to artificial substrates	Indonesia	b
<i>Euphyllia divisa</i>	Wild	All except maricultured specimens attached to artificial substrates	Indonesia	b
<i>Euphyllia fimbriata</i>	Wild	All except maricultured specimens attached to artificial substrates	Indonesia	b
<i>Plerogyra</i> spp.	Wild	All except maricultured specimens attached to artificial substrates	Indonesia	b
<b>Merulinidae</b>				
<i>Hydnophora microconos</i>	Wild	All except maricultured specimens attached to artificial substrates	Indonesia	b
<b>Mussidae</b>				
<i>Blastomussa</i> spp.	Wild	All except maricultured specimens attached to artificial substrates	Indonesia	b
<i>Cynarina lacrymalis</i>	Wild	All except maricultured specimens attached to artificial substrates	Indonesia	b
<i>Scolymia vitiensis</i>	Wild	All except maricultured specimens attached to artificial substrates	Indonesia	b
<b>Trachyphylliidae</b>				
<i>Trachyphyllia geoffroyi</i>	Wild	All except maricultured specimens attached to artificial substrates	Indonesia	b
<b>FLORA</b>				
<b>Amaryllidaceae</b>				
<i>Galanthus nivalis</i>	Wild	All	Bosnia and Herzegovina, Bulgaria, Switzerland, Ukraine	b
<b>Apocynaceae</b>				
<i>Pachypodium inopinatum</i>	Wild	All	Madagascar	b
<i>Pachypodium rosulatum</i>	Wild	All	Madagascar	b
<i>Pachypodium rutenbergianum</i> ssp. <i>sofense</i>	Wild	All	Madagascar	b
<b>Euphorbiaceae</b>				
<i>Euphorbia banae</i>	Wild	All	Madagascar	b

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<i>Euphorbia bulbispina</i>	Wild	All	Madagascar	b
<i>Euphorbia guillauminiana</i>	Wild	All	Madagascar	b
<i>Euphorbia kondoi</i>	Wild	All	Madagascar	b
<i>Euphorbia millotii</i>	Wild	All	Madagascar	b
<b>Orchidaceae</b>				
<i>Anacamptis pyramidalis</i>	Wild	All	Switzerland, Turkey	b
<i>Barlia robertiana</i>	Wild	All	Turkey	b
<i>Cephalanthera rubra</i>	Wild	All	Norway	b
<i>Cypripedium japonicum</i>	Wild	All	China, Democratic People's Republic of Korea, Japan, Republic of Korea	b
<i>Cypripedium macranthos</i>	Wild	All	Republic of Korea, Russia	b
<i>Cypripedium margaritaceum</i>	Wild	All	China	b
<i>Cypripedium micranthum</i>	Wild	All	China	b
<i>Dactylorhiza latifolia</i>	Wild	All	Norway	b
<i>Dactylorhiza romana</i>	Wild	All	Turkey	b
<i>Dactylorhiza russowii</i>	Wild	All	Norway	b
<i>Dactylorhiza traunsteineri</i>	Wild	All	Liechtenstein	b
<i>Himantoglossum hircinum</i>	Wild	All	Switzerland	b
<i>Nigritella nigra</i>	Wild	All	Norway	b
<i>Ophrys holoserica</i>	Wild	All	Turkey	b
<i>Ophrys insectifera</i>	Wild	All	Liechtenstein, Norway, Romania	b
<i>Ophrys pallida</i>	Wild	All	Algeria	b
<i>Ophrys sphegodes</i>	Wild	All	Romania, Switzerland	b
<i>Ophrys tenthredinifera</i>	Wild	All	Turkey	b
<i>Ophrys umbilicata</i>	Wild	All	Turkey	b
<i>Orchis coriophora</i>	Wild	All	Russia, Switzerland	b
<i>Orchis italica</i>	Wild	All	Turkey	b
<i>Orchis laxiflora</i>	Wild	All	Switzerland	b
<i>Orchis mascula</i>	Wild/Ranched	All	Albania	b
<i>Orchis morio</i>	Wild	All	Turkey	b
<i>Orchis pallens</i>	Wild	All	Russia	b
<i>Orchis papilionacea</i>	Wild	All	Romania	b
<i>Orchis provincialis</i>	Wild	All	Switzerland	b
<i>Orchis punctulata</i>	Wild	All	Turkey	b

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<i>Orchis purpurea</i>	Wild	All	Switzerland, Turkey	b
<i>Orchis simia</i>	Wild	All	Bosnia and Herzegovina, Croatia, Macedonia, Romania, Switzerland, Turkey	b
<i>Orchis tridentata</i>	Wild	All	Turkey	b
<i>Orchis ustulata</i>	Wild	All	Russia	b
<i>Serapias cordigera</i>	Wild	All	Turkey	b
<i>Serapias parviflora</i>	Wild	All	Turkey	b
<i>Serapias vomeracea</i>	Wild	All	Switzerland, Turkey	b
<i>Spiranthes spiralis</i>	Wild	All	Liechtenstein, Switzerland	b
<b>Primulaceae</b>				
<i>Cyclamen intaminatum</i>	Wild	All	Turkey	b
<i>Cyclamen mirabile</i>	Wild	All	Turkey	b
<i>Cyclamen pseudibericum</i>	Wild	All	Turkey	b
<i>Cyclamen trochopteranthum</i>	Wild	All	Turkey	b

(<sup>1</sup>) Namely animals born in captivity but for which the criteria of Chapter III of Regulation (EC) No 1808/2001 are not met, as well as parts and derivatives thereof.