

2006 No. 985

AGRICULTURE, ENGLAND AND WALES
PESTICIDES, ENGLAND AND WALES

**The Pesticides (Maximum Residue Levels in Crops, Food
and Feeding Stuff) (England and Wales) (Amendment)
Regulations 2006**

Made - - - - - 27th March 2006

Laid before Parliament 31st March 2006

Coming into force in accordance with regulation 1(3) to (5)

The Secretary of State for Environment, Food and Rural Affairs and the National Assembly for Wales being designated^(a) for the purposes of section 2(2) of the European Communities Act 1972^(b) in relation to the common agricultural policy of the European Community, acting jointly (the National Assembly for Wales acting in relation to Wales only), in exercise of the powers conferred on them by that section, make the following Regulations:

Citation, interpretation and commencement

1.—(1) These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2006.

(2) In these Regulations “the Principal Regulations” means the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) Regulations 2005^(c).

(3) Subject to paragraphs (4) and (5), these Regulations shall come into force on 27th April 2006.

(4) Regulation 5 shall come into force on 10th May 2006.

(5) Regulation 6 shall come into force on 21st April 2007.

^(a) S.I. 1972/1811 and, in the case of the National Assembly for Wales, S.I. 2005/2766.

^(b) 1972 c. 68.

^(c) S.I. 2005/3286.

Amendment to the Principal Regulations

2. The Principal Regulations are amended in accordance with regulations 3 to 6.

The Residues Directives

3. In regulation 2(1) (interpretation), for the definition of “the Residues Directives” substitute the following definition—

““the Residues Directives” means Directive 76/895(a), Directive 86/362(b), Directive 86/363(c) and Directive 90/642(d), in each case as amended at the date of the making of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2006.”.

Amendments coming into force on 27th April 2006

4. Schedules 2 and 3 of the Principal Regulations are amended as follows—
 - (a) in Schedule 2 (maximum residue levels), for the entries in the columns relating to the pesticides Ethofumesate, Lambda-cyhalothrin, Methomyl thiodicarb, Pymetrozine and Thiabendazole substitute the entries in the columns relating to those pesticides set out in Schedule 1 to these Regulations; and
 - (b) in Schedule 3—
 - (i) in paragraph 2(i) (root and tuber vegetables), in column 2, beneath “Carrots” insert “Cassava”; and
 - (ii) after paragraph 9 (foodstuffs of animal origin) insert the entry set out in Schedule 2 to these Regulations.

Amendments coming into force on 10th May 2006

5. Schedules 1 and 2 of the Principal Regulations are amended as follows—
 - (a) in Schedule 1 (pesticide residues), for the entry for Metalaxyl, substitute the entry for Metalaxyl set out in Schedule 3 to these Regulations; and
 - (b) in Schedule 2, for the entries in the columns relating to Azoxystrobin, Bifenthrin, Cyromazine, Kresoxim-methyl and Metalaxyl, substitute the entries in the columns relating to those pesticides set out in Schedule 1 to these Regulations.

Amendments coming into force on 21st April 2007

6. Schedules 1 and 2 of the Principal Regulations are further amended as follows—
 - (a) in Schedule 1—
 - (i) for the entry for Glyphosate, substitute the two entries for Glyphosate set out in Schedule 3 to these Regulations; and
 - (ii) in the appropriate place in the alphabetical sequence, insert the entries for the pesticides Bromoxynil, Chlorpropham, Dimethenamid-P, Flazasulfuron, Flurtamone, Ioxynil, Mepanipyrim, Propoxycarbazone, Pyraclostrobin, Quinoxifen and Zoxamide set out in Schedule 3 to these Regulations; and
 - (b) in Schedule 2—
 - (i) for the column relating to Glyphosate substitute the two columns relating to Glyphosate set out in Schedule 1 to these Regulations;

(a) OJ No. L340, 9.12.1976, p.26, as last amended by Commission Directive 2005/70/EC (OJ No. L276, 21.10.2005, p.35).

(b) OJ No. L221, 7.8.1986, p.37, as last amended by Commission Directive 2005/76/EC (OJ No. L293, 9.11.2005, p.14).

(c) OJ No. L221, 7.8.1986, p.43, as last amended by Commission Directive 2005/70/EC (OJ No. L276, 21.10.2005, p.35).

(d) OJ No. L350, 14.12.1990, p.71, as last amended by Commission Directive 2005/76/EC (OJ No. L293, 9.11.2005, p.14).

- (ii) in the appropriate place in the alphabetical sequence, insert the entries in the columns relating to the pesticides Bromoxynil, Chlorpropham, Dimethenamid-P, Flazasulfuron, Flurtamone, Ioxynil, Mepanipyrim, Propoxycarbazone, Pyraclostrobin, Quinoxifen and Zoxamide set out in Schedule 1 to these Regulations; and
- (iii) at the end, insert the footnotes set out at the end of Schedule 1 to these Regulations.

Date 21st March 2006

D Elis-Thomas
Presiding Officer
National Assembly for Wales

Date 27th March 2006

Bach
Parliamentary Under Secretary of State
Department for Environment, Food and Rural Affairs

SCHEDULE 1
Regulations 4(a), 5(b) and 6(b)

ENTRIES SUBSTITUTED OR INSERTED IN SCHEDULE 2 TO THE PRINCIPAL
REGULATIONS

Group to which food belongs	Groups include the following products	Azoxystrobin	Bifenthrin	Bromoxynil	Chlorpropham	Cyromazine	Dimethenamid-P	Ethofumesate	Flazasulfuron	Flurtamone	Glyphosate (except trimesium salt)	Glyphosate (as trimesium salt)	Ioxynil
1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS													
i) CITRUS FRUIT													
	Grapefruit	1	0.1	0.05*	0.05*	0.05*	0.01*	0.05*	0.02	0.02*	0.1	0.05*	0.05*
	Lemons	1	0.1	0.05*	0.05*	0.05*	0.01*	0.05*	0.02	0.02*	0.1	0.05*	0.05*
	Limes	1	0.1	0.05*	0.05*	0.05*	0.01*	0.05*	0.02	0.02*	0.1*	0.05*	0.05*
	Mandarins (inc clementines & similar hybrids)	1	0.1	0.05*	0.05*	0.05*	0.01*	0.05*	0.02	0.02*	0.1	0.05*	0.05*
	Oranges	1	0.1	0.05*	0.05*	0.05*	0.01*	0.05*	0.02	0.02*	0.5	0.5	0.05*
	Pomelos	1	0.1	0.05*	0.05*	0.05*	0.01*	0.05*	0.02	0.02*	0.1*	0.05*	0.05*
	Others	1	0.1	0.05*	0.05*	0.05*	0.01*	0.05*	0.02	0.02*	0.1*	0.05*	0.05*
ii) TREE NUTS (shelled or unshelled)													
	Almonds	0.1*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Brazil nuts	0.1*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Cashew nuts	0.1*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Chestnuts	0.1*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Coconuts	0.1*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Hazelnuts	0.1*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Macadamia nuts	0.1*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Pecans	0.1*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Pine nuts	0.1*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Pistachios	0.1*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Walnuts	0.1*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Others	0.1*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Azoxystrobin	Bifenthrin	Bromoxynil	Chlorpropham	Cyromazine	Dimethenamid-P	Ethofumesate	Flazasulfuron	Flurtamone	Glyphosate (except trimesium salt)	Glyphosate (as trimesium salt)	Ioxynil
iii) POME FRUIT													
	Apples	0.05*	0.3	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Pears	0.05*	0.3	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Quinces	0.05*	0.3	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Others	0.05*	0.3	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
iv) STONE FRUIT													
	Apricots	0.05*	0.2	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Cherries	0.05*	0.2	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Peaches (including nectarines & similar hybrids)	0.05*	0.2	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Plums	0.05*	0.2	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Others	0.05*	0.2	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
v) BERRIES AND SMALL FRUIT													
	a) Table & wine grapes												
	Table grapes	2	0.2	0.05*	0.05*	0.05*	0.01*	0.05*	0.02	0.02*	0.5	0.05*	0.05*
	Wine grapes	2	0.2	0.05*	0.05*	0.05*	0.01*	0.05*	0.02	0.02*	0.5	0.05*	0.05*
	b) Strawberries (other than wild)	2	0.5	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	c) Cane Fruit (other than wild)												
	Blackberries	3	0.3	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Dewberries	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Loganberries	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Raspberries	3	0.3	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	d) Other small fruit & berries (other than wild)												
	Bilberries	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Azoxystrobin	Bifenthrin	Bromoxynil	Chlorpropham	Cyromazine	Dimethenamid-P	Ethofumesate	Flazasulfuron	Flurtamone	Glyphosate (except trimesium salt)	Glyphosate (as trimesium salt)	Ioxynil
v) BERRIES AND SMALL FRUIT—(<i>continued</i>)													
	Cranberries	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Currants (red, black & white)	0.05*	0.5	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Gooseberries	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	e) Wild berries & wild fruit	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
vi) MISCELLANEOUS FRUIT													
	Avocados	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
	Bananas	2	0.1	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.05*	0.05	0.05*
	Dates	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
	Figs	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
	Kiwi fruit	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
	Kumquats	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
	Litchis	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
	Mangoes	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
	Olives (table consumption)	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02	0.02*	0.05*	0.05*	0.05*
	Olives (oil extract)	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02	0.02*	1	1	0.05*
	Papaya	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
	Passion fruit	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
	Pineapples	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
	Pomegranates	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY													
i) ROOT AND TUBER VEGETABLES													
	Beetroot	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.1	0.01*	0.02*	0.1*	0.05*	0.05*
	Carrots	0.2	0.05*	0.05*	0.05*	0.05*	1	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*
	Cassava	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Celeriac	0.3	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Horseradish	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Jerusalem artichokes	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Parsnips	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.2

Group to which food belongs	Groups include the following products	Azoxystrobin	Bifenthrin	Bromoxynil	Chlorpropham	Cyromazine	Dimethenamid-P	Ethofumesate	Flazasulfuron	Flurtamone	Glyphosate (except trimesium salt)	Glyphosate (as trimesium salt)	Ioxynil
i) ROOT AND TUBER VEGETABLES—(continued)													
	Parsley root	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Radishes	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Salsify	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Sweet potatoes	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Swedes	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Turnips	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Yams	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
ii) BULB VEGETABLES													
	Garlic	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Onions	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.2
	Shallots	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Spring onions	2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
iii) FRUITING VEGETABLES													
a) Solanacea													
	Tomatoes	2	0.2	0.05*	0.05*	1	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Peppers	2	0.2	0.05*	0.05*	1	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Chili peppers	2	0.2	0.05*	0.05*	1	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Aubergines	2	0.2	0.05*	0.05*	1	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Others	2	0.2	0.05*	0.05*	1	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
b) Cucurbits-edible peel													
	Cucumbers	1	0.1	0.05*	0.05*	1	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Gherkins	1	0.1	0.05*	0.05*	1	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Courgettes	1	0.1	0.05*	0.05*	1	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Others	1	0.1	0.05*	0.05*	1	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
c) Cucurbits-inedible peel													
	Melons	0.5	0.05*	0.05*	0.05*	0.3	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Squashes	0.5	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Watermelons	0.5	0.05*	0.05*	0.05*	0.3	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Others	0.5	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	d) Sweet corn	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Azoxystrobin	Bifenthrin	Bromoxynil	Chlorpropham	Cyromazine	Dimethenamid-P	Ethofumesate	Flazasulfuron	Flurtamone	Glyphosate (except trimesium salt)	Glyphosate (as trimesium salt)	Ioxynil
iv) BRASSICA VEGETABLES													
	a) Flowering Brassicas												
	Broccoli	0.5 ⁽¹³⁾	0.2 ⁽¹³⁾	0.05*	0.05*	0.05*(13)	0.01*	0.05*(13)	0.01*	0.02*	0.1*	0.05*	0.05*
	Cauliflower	0.5	0.2	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Others	0.5	0.2	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	b) Head Brassicas												
	Brussels sprouts	0.3	1	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Head cabbage	0.3	1	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Others	0.3	1	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	c) Leafy Brassicas												
	Chinese cabbage	5	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Kale	5	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Others	5	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	d) Kohlrabi	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
v) LEAF VEGETABLES AND FRESH HERBS													
	a) Lettuce & similar												
	Cress	3	2	0.05*	0.05*	15	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Lamb's lettuce	3	2	0.05*	0.05*	15	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Lettuce	3	2	0.05*	0.05*	15	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Scarole	3 ⁽⁶⁾	2 ⁽⁶⁾	0.05*	0.05*	15 ⁽⁶⁾	0.01*	0.05*(6)	0.01*	0.02*	0.1*	0.05*	0.05*
	Others	3	2	0.05*	0.05*	15	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	b) Spinach & similar												
	Spinach	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Beet leaves (chard)	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	c) Watercress	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	d) Witloof	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Azoxystrobin	Bifenthrin	Bromoxynil	Chlorpropham	Cyromazine	Dimethenamid-P	Ethofumesate	Flazasulfuron	Flurtamone	Glyphosate (except trimesium salt)	Glyphosate (as trimesium salt)	Ioxynil
v) LEAF VEGETABLES AND FRESH HERBS— (continued)													
	e) Herbs												
	Chervil	3	0.05*	0.05*	0.05*	15	0.01*	1	0.01*	0.02*	0.1*	0.05*	0.05*
	Chives	3	0.05*	0.05*	0.05*	15	0.01*	1	0.01*	0.02*	0.1*	0.05*	0.05*
	Parsley	3	0.05*	0.05*	0.05*	15	0.01*	1	0.01*	0.02*	0.1*	0.05*	0.05*
	Celery leaves	3	0.05*	0.05*	0.05*	15	0.01*	1	0.01*	0.02*	0.1*	0.05*	0.05*
	Others	3	0.05*	0.05*	0.05*	15	0.01*	1	0.01*	0.02*	0.1*	0.05*	0.05*
vi) LEGUME VEGETABLES (fresh)													
	Beans (with pods)	1	0.5	0.05*	0.05*	5	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Beans (without pods)	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Peas (with pods)	0.5	0.1	0.05*	0.05*	5	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Peas (without pods)	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
vii) STEM VEGETABLES													
	Asparagus	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Cardoons	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Celery	5	0.05*	0.05*	0.05*	2	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Fennel	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Globe artichokes	1	0.05*	0.05*	0.05*	2	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Leeks	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Rhubarb	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
viii) FUNGI													
	a) Cultivated mushrooms	0.05*	0.05*	0.05*	0.05*	5	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	b) Wild mushrooms	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	50	20	0.05*

Group to which food belongs	Groups include the following products	Azoxystrobin	Bifenthrin	Bromoxynil	Chlorpropham	Cyromazine	Dimethenamid-P	Ethofumesate	Flazasulfuron	Flurtamone	Glyphosate (except trimesium salt)	Glyphosate (as trimesium salt)	Ioxynil
3. PULSES													
	Beans	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	2	0.05*	0.05*
	Lentils	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
	Peas	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	10	0.05*	0.05*
	Others	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.02*	0.1*	0.05*	0.05*
4. OILSEEDS													
	Linseed	0.05*	0.1*	0.1*	0.1*	0.05*	0.02*	0.1*	0.02*	0.05*	10	0.05*	0.1*
	Peanuts	0.05*	0.1*	0.1*	0.1*	0.05*	0.02*	0.1*	0.02*	0.05*	0.1*	0.05*	0.1*
	Poppy seed	0.05*	0.1*	0.1*	0.1*	0.05*	0.02*	0.1*	0.02*	0.05*	0.1*	0.05*	0.1*
	Sesame seed	0.05*	0.1*	0.1*	0.1*	0.05*	0.02*	0.1*	0.02*	0.05*	0.1*	0.05*	0.1*
	Sunflower seed	0.05*	0.1*	0.1*	0.1*	0.05*	0.02*	0.1*	0.02*	0.05*	20	0.05*	0.1*
	Rape seed	0.5	0.1*	0.1*	0.1*	0.05*	0.02*	0.1*	0.02*	0.05*	10	0.05*	0.1*
	Soya bean	0.5	0.1	0.1*	0.1*	0.05*	0.02*	0.1*	0.02*	0.05*	20	10	0.1*
	Mustard seed	0.05*	0.1*	0.1*	0.1*	0.05*	0.02*	0.1*	0.02*	0.05*	10	0.05*	0.1*
	Cotton seed	0.05*	0.1*	0.1*	0.1*	0.05*	0.02*	0.1*	0.02*	0.05*	10	0.05*	0.1*
	Others	0.05*	0.1*	0.1*	0.1*	0.05*	0.02*	0.1*	0.02*	0.05*	0.1*	0.05*	0.1*
5. POTATOES													
	Early potatoes	0.05*	0.05*	0.05*	10	1	0.01*	0.05*	0.01*	0.02*	0.5	0.05*	0.05*
	Ware potatoes	0.05*	0.05*	0.05*	10	1	0.01*	0.05*	0.01*	0.02*	0.5	0.05*	0.05*
6. TEA													
	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	5	0.1*	0.1*	0.05*	0.02*	0.1*	0.02*	0.05*	2	0.05*	0.1*
7. HOPS (dried)													
	including hop pellets & unconcentrated powder	20	10	0.1*	0.1*	0.05*	0.02*	0.1*	0.02*	0.05*	0.1*	0.05*	0.1*
8. CEREALS													
	Wheat	0.3	0.5	0.05*	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	10	5	0.05*
	Rye	0.3	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	10	5	0.05*
	Barley	0.3	0.5	0.05*	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	20	10	0.05*
	Sorghum	0.05*	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	20	0.05*	0.05*

Group to which food belongs	Groups include the following products										Glyphosate (except trimesium salt)	Glyphosate (as trimesium salt)	Ioxynil		
		Azoxystrobin	Bifenthrin	Bromoxynil	Chlorpropham	Cyromazine	Dimethenamid-P	Ethofumesate	Flazasulfuron	Flurtamone					
	Oats	0.3	0.5	0.05*	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	20	10	0.05*		
	Triticale	0.3	0.5	0.05*	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	10	5	0.05*		
	Maize	0.05*	0.05*	0.1	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	1	0.05*	0.05*		
	Buckwheat	0.05*	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	0.1*	0.05*	0.05*		
	Millet	0.05*	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	0.1*	0.05*	0.05*		
	Rice ⁽¹⁾	5	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	0.1*	0.05*	0.05*		
	Other cereals	0.05*	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	0.1*	0.05*	0.05*		
	9. PRODUCTS OF ANIMAL ORIGIN														
	Meat, fat & preparations of meat ⁽²⁾	0.05*	0.1 ⁽¹⁶⁾	0.2 ⁽³⁹⁾	0.05*(41)	0.05*(42)	0.05*(21)	0.1*			2 ⁽¹⁹⁾	0.2 ⁽¹²⁾	0.2 ⁽¹⁹⁾	0.5 ⁽¹²⁾	0.2 ⁽³⁹⁾
	0.5 ⁽³¹⁾				0.1 ⁽⁴⁴⁾						0.2 ⁽¹⁵⁾	0.1 ⁽⁴⁴⁾			
	Milk ⁽³⁾ & Dairy produce ⁽⁴⁾	0.01*	0.01*	0.01*	0.2	0.02*	0.1*				0.1*	0.1	0.01*	0.01*	
Eggs ⁽⁵⁾	0.05*	0.01*			0.2		0.1*			0.1*	0.1*	0.01*			
10. SPICES															
	Cumin seed							0.5							
	Juniper seed							0.5							
	Nutmeg							0.5							
	Pepper, black and white							0.5							
	Vanilla pods							0.5							
	Others							0.5							

Group to which food belongs	Groups include the following products	Kresoxim-methyl	Lambda-cyhalothrin	Mepanipyrim	Metalaxyl	Methomyl/thiodicarb	Propoxycarbazone	Pymetrozine	Pyraclostrobin	Quinoxifen	Thiabendazole	Zoxamide
1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS												
i) CITRUS FRUIT												
	Grapefruit	0.05*	0.1	0.01*	0.5	0.5	0.02*	0.3	1	0.02*	5	0.02*
	Lemons	0.05*	0.2	0.01*	0.5	1	0.02*	0.3	1	0.02*	5	0.02*
	Limes	0.05*	0.2	0.01*	0.5	1	0.02*	0.3	1	0.02*	5	0.02*
	Mandarins (inc clementines & similar hybrids)	0.05*	0.2	0.01*	0.5	1	0.02*	0.3	1	0.02*	5	0.02*
	Oranges	0.05*	0.1	0.01*	0.5	0.5	0.02*	0.3	1	0.02*	5	0.02*
	Pomelos	0.05*	0.1	0.01*	0.5	0.5	0.02*	0.3	1	0.02*	5	0.02*
	Others	0.05*	0.02*	0.01*	0.5	0.05*	0.02*	0.3	1	0.02*	5	0.02*
ii) TREE NUTS (shelled or unshelled)												
	Almonds	0.1*	0.05*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.1*	0.02*
	Brazil nuts	0.1*	0.05*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.1*	0.02*
	Cashew nuts	0.1*	0.05*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.1*	0.02*
	Chestnuts	0.1*	0.05*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.1*	0.02*
	Coconuts	0.1*	0.05*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.1*	0.02*
	Hazelnuts	0.1*	0.05*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.1*	0.02*
	Macadamia nuts	0.1*	0.05*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.1*	0.02*
	Pecans	0.1*	0.05*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.1*	0.02*
	Pine nuts	0.1*	0.05*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.1*	0.02*
	Pistachios	0.1*	0.05*	0.01*	0.05*	0.05*	0.02*	0.02*	1	0.02*	0.1*	0.02*
	Walnuts	0.1*	0.05*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.1*	0.02*
	Others	0.1*	0.05*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.1*	0.02*
iii) POME FRUIT												
	Apples	0.2	0.1	0.01*	1	0.2	0.02*	0.02*	0.02*	0.02*	5	0.02*
	Pears	0.2	0.1	0.01*	1	0.2	0.02*	0.02*	0.02*	0.02*	5	0.02*
	Quinces	0.2	0.1	0.01*	1	0.2	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Others	0.2	0.1	0.01*	1	0.2	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*

Group to which food belongs	Groups include the following products	Kresoxim-methyl	Lambda-cyhalothrin	Mepanipyrim	Metalaxyl	Methomyl/thiodicarb	Propoxycarbazone	Pymetrozine	Pyraclostrobin	Quinoxifen	Thiabendazole	Zoxamide
iv) STONE FRUIT												
	Apricots	0.05*	0.2	0.01*	0.05*	0.2	0.02*	0.05	0.02*	0.02*	0.05*	0.02*
	Cherries	0.05*	0.1	0.01*	0.05*	0.1	0.02*	0.02*	0.2	0.3	0.05*	0.02*
	Peaches (including nectarines & similar hybrids)	0.05*	0.2	0.01*	0.05*	0.2	0.02*	0.05	0.02*	0.02*	0.05*	0.02*
	Plums	0.05*	0.1	0.01*	0.05*	0.5	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Others	0.05*	0.1	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
v) BERRIES AND SMALL FRUIT												
	a) Table & wine grapes											
	Table grapes	1	0.2	3	2	0.05*	0.02*	0.02*	0.02*	1	0.05*	5
	Wine grapes	1	0.2	3	1	1	0.02*	0.02*	2	1	0.05*	5
	b) Strawberries (other than wild)	1	0.5	2	0.5	0.05*	0.02*	0.02*	0.5	0.3	0.05*	0.02*
	c) Cane Fruit (other than wild)											
	Blackberries	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Dewberries	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Loganberries	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Raspberries	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Others	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	d) Other small fruit & berries (other than wild)	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	1	0.05*	0.02*
	Bilberries											
	Cranberries	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	1	0.05*	0.02*
	Currants (red, black & white)	1	0.1	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	1	0.05*	0.02*
	Gooseberries	1	0.1	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	1	0.05*	0.02*
	Others	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	1	0.05*	0.02*

Group to which food belongs	Groups include the following products	Kresoxim-methyl	Lambda-cyhalothrin	Mepanipyrim	Metalaxyl	Methomyl/thiodicarb	Propoxycarbazone	Pymetrozine	Pyraclostrobin	Quinoxifen	Thiabendazole	Zoxamide
	e) Wild berries & wild fruit	0.05*	0.2	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
vi)	MISCELLANEOUS FRUIT											
	Avocados	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	15	0.02*
	Bananas	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	5	0.02*
	Dates	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Figs	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Kiwi fruit	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Kumquats	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Litchis	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Mangoes	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.05	0.02*	5	0.02*
	Olives (table consumption)	0.2	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Olives (oil extract)	0.2	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Papaya	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.05	0.02*	10	0.02*
	Passion fruit	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Pineapples	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Pomegranates	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Others	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY												
i)	ROOT AND TUBER VEGETABLES											
	Beetroot	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Carrots	0.05*	0.02*	0.01*	0.1	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Cassava	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	15	0.02*
	Celeriac	0.05*	0.1	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Horseradish	0.05*	0.02*	0.01*	0.1	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Jerusalem artichokes	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Parsnips	0.05*	0.02*	0.01*	0.1	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Parsley root	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Radishes	0.05*	0.1	0.01*	0.1	0.5	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Salsify	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Sweet potatoes	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	15	0.02*
	Swedes	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Turnips	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*

Group to which food belongs	Groups include the following products	Kresoxim-methyl	Lambda-cyhalothrin	Mepanipyrim	Metalaxyl	Methomyl/thiodicarb	Propoxycarbazone	Pymetrozine	Pyraclostrobin	Quinoxifen	Thiabendazole	Zoxamide
	Yams	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	15	0.02*
	Others	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
ii) BULB VEGETABLES												
	Garlic	0.05*	0.02*	0.01*	0.5	0.05*	0.02*	0.02*	0.2	0.02*	0.05*	0.02*
	Onions	0.05*	0.02*	0.01*	0.5	0.05*	0.02*	0.02*	0.2	0.02*	0.05*	0.02*
	Shallots	0.05*	0.02*	0.01*	0.5	0.05*	0.02*	0.02*	0.2	0.02*	0.05*	0.02*
	Spring onions	0.05*	0.05	0.01*	0.2	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Others	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
iii) FRUITING VEGETABLES												
	a) Solanacea											
	Tomatoes	0.5	0.1	1	0.2	0.5	0.02*	0.5	0.02*	0.02*	0.05*	0.5
	Peppers	1	0.1	0.01*	0.5	0.2	0.02*	1	0.02*	0.02*	0.05*	0.02*
	Chili peppers	1	0.1	0.01*	0.5	0.2	0.02*	1	0.02*	0.02*	0.05*	0.02*
	Aubergines	0.5	0.5	0.01*	0.05*	0.5	0.02*	0.5	0.02*	0.02*	0.05*	0.02*
	Others	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	b) Cucurbits-edible peel											
	Cucumbers	0.05*	0.1	0.01*	0.5	0.05*	0.02*	0.5	0.02*	0.02*	0.05*	0.02*
	Gherkins	0.05*	0.1	0.01*	0.05*	0.05*	0.02*	0.5	0.02*	0.02*	0.05*	0.02*
	Courgettes	0.05*	0.1	0.01*	0.05*	0.05*	0.02*	0.5	0.02*	0.02*	0.05*	0.02*
	Others	0.05*	0.1	0.01*	0.05*	0.05*	0.02*	0.5	0.02*	0.02*	0.05*	0.02*
	c) Cucurbits-inedible peel											
	Melons	0.2	0.05	0.01*	0.2	0.05*	0.02*	0.2	0.02*	0.05	0.05*	0.02*
	Squashes	0.2	0.05	0.01*	0.05*	0.05*	0.02*	0.2	0.02*	0.05	0.05*	0.02*
	Watermelons	0.2	0.05	0.01*	0.2	0.05*	0.02*	0.2	0.02*	0.05	0.05*	0.02*
	Others	0.2	0.05	0.01*	0.05*	0.05*	0.02*	0.2	0.02*	0.05	0.05*	0.02*
	d) Sweet corn	0.05*	0.05	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
iv) BRASSICA VEGETABLES												
	a) Flowering Brassicas											
	Broccoli	0.05*(13)	0.1 ⁽¹³⁾	0.01*	0.1 ⁽¹³⁾	0.2 ⁽¹³⁾	0.02*	0.02*(13)	0.02*	0.02*	5 ⁽¹³⁾	0.02*
	Cauliflower	0.05*	0.1	0.01*	0.1	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Others	0.05*	0.1	0.01*	0.1	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*

Group to which food belongs	Groups include the following products	Kresoxim-methyl	Lambda-cyhalothrin	Mepanipyrim	Metalaxyl	Methomyl/thiodicarb	Propoxycarbazone	Pymetrozine	Pyraclostrobin	Quinoxifen	Thiabendazole	Zoxamide
	b) Head Brassicas											
	Brussels sprouts	0.05*	0.05	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Head cabbage	0.05*	0.2	0.01*	1	0.05*	0.02*	0.05	0.02*	0.02*	0.05*	0.02*
	Others	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	c) Leafy Brassicas											
	Chinese cabbage	0.05*	1	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Kale	0.05*	1	0.01*	0.2	0.05*	0.02*	0.1	0.02*	0.02*	0.05*	0.02*
	Others	0.05*	1	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	d) Kohlrabi	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
v) LEAF VEGETABLES AND FRESH HERBS												
	a) Lettuce & similar											
	Cress	0.05*	1	0.01*	0.05*	0.05*	0.02*	1	2	0.02*	0.05*	0.02*
	Lamb's lettuce	0.05*	1	0.01*	0.05*	0.05*	0.02*	1	2	0.02*	0.05*	0.02*
	Lettuce	0.05*	1	0.01*	2	2	0.02*	1	2	0.02*	0.05*	0.02*
	Scarole	0.05*(6)	1 ⁽⁶⁾	0.01*	1 ⁽⁶⁾	0.05*(6)	0.02*	1 ⁽⁶⁾	2	0.02*	0.05*(6)	0.02*
	Others	0.05*	1	0.01*	0.05*	0.05*	0.02*	1	2	0.02*	0.05*	0.02*
	b) Spinach & similar											
	Spinach	0.05*	0.5	0.01*	0.05*	2	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Beet leaves (chard)	0.05*	0.5	0.01*	0.05*	2	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Others	0.05*	0.5	0.01*	0.05*	2	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	c) Watercress	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	d) Witloof	0.05*	0.02*	0.01*	0.3	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	e) Herbs											
	Chervil	0.05*	1	0.01*	1	2	0.02*	1	0.02*	0.02*	0.05*	0.02*
	Chives	0.05*	1	0.01*	1	2	0.02*	1	0.02*	0.02*	0.05*	0.02*
	Parsley	0.05*	1	0.01*	1	2	0.02*	1	0.02*	0.02*	0.05*	0.02*
	Celery leaves	0.05*	1	0.01*	1	2	0.02*	1	0.02*	0.02*	0.05*	0.02*
	Others	0.05*	1	0.01*	1	2	0.02*	1	0.02*	0.02*	0.05*	0.02*

Group to which food belongs	Groups include the following products	Kresoxim-methyl	Lambda-cyhalothrin	Mepanipyrim	Metalaxyl	Methomyl/thiodicarb	Propoxycarbazone	Pymetrozine	Pyraclostrobin	Quinoxifen	Thiabendazole	Zoxamide
vi) LEGUME VEGETABLES (fresh)												
	Beans (with pods)	0.05*	0.2	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Beans (without pods)	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Peas (with pods)	0.05*	0.2	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Peas (without pods)	0.05*	0.2	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Others	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
vii) STEM VEGETABLES												
	Asparagus	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Cardoons	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Celery	0.05*	0.3	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Fennel	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Globe artichokes	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Leeks	5	0.3	0.01*	0.2	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Rhubarb	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Others	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
viii) FUNGI												
	a) Cultivated mushrooms	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	10	0.02*
	b) Wild mushrooms	0.05*	0.5	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
3. PULSES												
	Beans	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.3	0.02*	0.05*	0.02*
	Lentils	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.3	0.02*	0.05*	0.02*
	Peas	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.3	0.02*	0.05*	0.02*
	Others	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.3	0.02*	0.05*	0.02*
4. OILSEEDS												
	Linseed	0.1*	0.02*	0.02*	0.1*	0.05*	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*
	Peanuts	0.1*	0.02*	0.02*	0.1*	0.1	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*
	Poppy seed	0.1*	0.02*	0.02*	0.1*	0.05*	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*
	Sesame seed	0.1*	0.02*	0.02*	0.1*	0.05*	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*
	Sunflower seed	0.1*	0.02*	0.02*	0.1*	0.05*	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Kresoxim-methyl	Lambda-cyhalothrin	Mepanipyrim	Metalaxyl	Methomyl/thiodicarb	Propoxycarbazone	Pymetrozine	Pyraclostrobin	Quinoxifen	Thiabendazole	Zoxamide
	Rape seed	0.1*	0.02*	0.02*	0.1*	0.05*	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*
	Soya bean	0.1*	0.02*	0.02*	0.1*	0.1	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*
	Mustard seed	0.1*	0.02*	0.02*	0.1*	0.05*	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*
	Cotton seed	0.1*	0.02*	0.02*	0.1*	0.1	0.02*	0.05	0.02*	0.05*	0.05*	0.05*
	Others	0.1*	0.02*	0.02*	0.1*	0.05*	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*
5. POTATOES												
	Early potatoes	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Ware potatoes	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	15	0.02*
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	1	0.02*	0.1*	0.1*	0.05*	0.1*	0.05*	0.05*	0.1*	0.05*
7. HOPS	(dried) including hop pellets & unconcentrated powder	0.1*	10	0.02*	10	10	0.05*	5	0.05*	0.5	0.1*	0.05*
8. CEREALS												
	Wheat	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.1	0.02*	0.05*	0.02*
	Rye	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.1	0.02*	0.05*	0.02*
	Barley	0.05*	0.05	0.01*	0.05*	0.05*	0.02*	0.02*	0.3	0.2	0.05*	0.02*
	Sorghum	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Oats	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.3	0.2	0.05*	0.02*
	Triticale	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.1	0.02*	0.05*	0.02*
	Maize	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Buckwheat	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Millet	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Rice ⁽¹⁾	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*
	Other cereals	0.05*	0.02*	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.05*	0.02*

Group to which food belongs	Groups include the following products	Kresoxim-methyl	Lambda-cyhalothrin	Mepanipyrim	Metalaxyl	Methomyl/thiodicarb	Propoxycarbazone	Pymetrozine	Pyraclostrobin	Quinoxifen	Thiabendazole	Zoxamide
9. PRODUCTS OF ANIMAL ORIGIN												
	Meat, fat & preparation	0.02 ^{*(34)} 0.05 ⁽³⁰⁾	0.5 ⁽¹⁷⁾ 0.02 ^{*(14)}		0.05*	0.02		0.01*	0.05*	0.2	0.1	
	Milk ⁽³⁾ & Dairy produce	0.05*	0.05		0.05*	0.02		0.01*	0.01*	0.05		
	Eggs ⁽⁵⁾	0.02*	0.02*		0.05*	0.02		0.01*	0.05*	0.02*	0.01*	
10. SPICES												
	Cumin seed											
	Juniper seed											
	Nutmeg											
	Pepper, black and white											
	Vanilla pods											
	Others											

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

* Level at or about the limit of determination.

FOOTNOTES:

39. Offals only

40. All meat except offal

41. All meat except liver and kidney.

42. All liver.

43. Except liver and kidney of bovine animals, and kidney of swine and poultry.

44. Kidney of poultry.

45. Except liver, kidney and meat of bovine animals, and kidney of poultry.

SCHEDULE 2

Regulation 4(b)(ii)

ENTRY INSERTED IN SCHEDULE 3 TO THE PRINCIPAL REGULATIONS

Column 1 <i>Group of products</i>	Column 2 <i>Products included in the groups</i>	Column 3 <i>Part of product to which maximum residue levels apply</i>
10. Spices	Cumin seed Juniper berries Nutmeg Pepper, black and white Vanilla pods Others	Whole product

SCHEDULE 3

Regulation 5(a) and 6(a)

ENTRIES SUBSTITUTED OR INSERTED IN SCHEDULE 1 TO THE PRINCIPAL REGULATIONS

Column 1 <i>Pesticide</i>	Column 2 <i>Residue</i>
Bromoxynil Chlorpropham	bromoxynil including its esters expressed as bromoxynil (1) for products of plant origin: except potatoes: chlorpropham and the 3-chloroaniline, expressed as chlorpropham potatoes: chlorpropham (2) for foodstuffs of animal origin: chlorpropham and 4'-hydroxychlorpropham-0-sulphonic acid (4-HSA), expressed as chlorpropham
Dimethenamid-P	dimethenamid-P including other mixtures of constituent isomers (sum of isomers)
Flazasulfuron	flazasulfuron
Flurtamone	flurtamone
Glyphosate (except trimesium salt)	glyphosate
Glyphosate (as trimesium salt)	trimethylsulfonium cation resulting from the use of glyphosate
Ioxynil	ioxynil including its esters expressed as ioxynil
Mepanipyrim	mepanipyrim and its metabolite (2-anilino-4-(2-hydroxy- propyl)-6-methylpyrimidine) expressed as mepanipyrim
Metalaxyl	(1) for products of plant origin: metalaxyl including other mixtures of constituent isomers including metalaxyl M (sum of isomers) (2) for foodstuffs of animal origin: metalaxyl
Propoxycarbazone	propoxycarbazone, its salts and 2-hydroxypropoxy- propoxycarbazone, calculated as propoxycarbazone
Pyraclostrobin	pyraclostrobin
Quinoxifen	quinoxifen
Zoxamide	zoxamide

EXPLANATORY NOTE

(This note is not part of the Regulations)

These Regulations, which are made under section 2(2) of the European Communities Act 1972, amend the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) Regulations 2005 (S.I. 2005/3286).

The Regulations implement Commission Directives 2005/70/EC (OJ No. L276, 21.10.2005, p.35), 2005/74/EC (OJ No. L282, 26.10.2005, p.9) and 2005/76/EC (OJ No. L293, 9.11.2005, p.14).

Regulations 1 to 4 come into force on 27th April 2006. Regulation 4 makes amendments which substitute certain new maximum residue levels in Schedule 2 to the Principal Regulations. These are maximum residue levels for residues of the pesticides Ethofumesate, Lambda-cyhalothrin, Methomyl, Pymetrozine and Thiabendazole.

Regulation 5 comes into force on 10th May 2006. It amends—

- (a) Schedule 1, which identifies the substances residues of which are taken into account in the measuring of residue levels for each pesticide, by replacing the residue for the pesticide Metalaxyl; and
- (b) Schedule 2, by substituting new maximum residue levels for residues of the pesticides Azoxystrobin, Bifenthrin, Cyromazine, Kresoxim-methyl and Metalaxyl.

Regulation 6 comes into force on 21st April 2007. It amends—

- (a) Schedule 1, by replacing the entry for the pesticide Glyphosate with two new entries for Glyphosate; and by inserting new entries for the pesticides Bromoxynil, Chlorpropham, Dimethenamid-P, Flazasulfuron, Flurtamone, Ioxynil, Mepanipyrim, Propoxycarbazone, Pyraclostrobin, Quinoxifen and Zoxamide; and
- (b) Schedule 2, by replacing the column for the pesticide Glyphosate with the two new columns for Glyphosate; and by inserting new entries in the columns for the pesticides Bromoxynil, Chlorpropham, Dimethenamid-P, Flazasulfuron, Flurtamone, Ioxynil, Mepanipyrim, Propoxycarbazone, Pyraclostrobin, Quinoxifen and Zoxamide.

A Regulatory Impact Assessment (RIA) was prepared in 2005 when the Principal Regulations were previously consolidated and provides a basis for establishing the impact of amendments to the Principal Regulations of the kind made by these Regulations. A consultation in 2003 indicated that compliance costs were virtually unchanged from those quoted in the 1999 RIA. Copies of the assessment can be obtained from the Pesticides Safety Directorate, Room 308, Mallard House, Kings Pool, 3 Peasholme Green, York YO1 7PX or via the website www.pesticides.gov.uk. Copies have been placed in the library of each House of Parliament.

2006 No. 985

**AGRICULTURE, ENGLAND AND WALES
PESTICIDES, ENGLAND AND WALES**

**The Pesticides (Maximum Residue Levels in Crops, Food
and Feeding Stuff) (England and Wales) (Amendment)
Regulations 2006**

£4.00

© Crown copyright 2006

Printed and published in the UK by The Stationery Office Limited
under the authority and superintendence of Carol Tullo, Controller of
Her Majesty's Stationery Office and Queen's Printer of Acts of Parliament.
E0532 5/2006 160532 19585